

March 1, 2003

PLASTIC PIPE AND PIPE LINER SOURCES

Specification Reference: 907.16 through 907.24

Mat. Code	Source Code	Manufacturer Product	Approval Number	Comments
85xx	8690	ADVANCED DRAINAGE SYSTEMS, INC., HARVARD, IL CORR. POLYETHYLENE PIPE, TYPES C, CP, S & SP--	J028001	NON-HDB RATED, 12 in. (300 mm) through 24 in. (600 mm)
85XX	8676	ADVANCED DRAINAGE SYSTEMS, INC., LIVERMORE, KY CORR. POLYETHYLENE TUBING, TYPES C & CP-----	J988007	NON-HDB RATED, 4 in. (100 mm) through 8 in. (200 mm)
85XX	8676	ADVANCED DRAINAGE SYSTEMS, INC., LIVERMORE, KY CORR. POLYETHYLENE PIPE, TYPES C, CP, S & SP--	J988011	NON-HDB RATED, 12 in. (300 mm) through 30 in. (750 mm)
85XX	8677	ADVANCED DRAINAGE SYSTEMS, INC., LONDON, OH CORR. POLYETHYLENE TUBING, TYPES C & CP-----	J988004	NON-HDB RATED, 4 in. (100 mm) through 10 in. (250 mm)
85XX	8677	ADVANCED DRAINAGE SYSTEMS, INC., LONDON, OH CORR. POLYETHYLENE PIPE, TYPES C, CP, S & SP--	J988008	NON-HDB RATED, 12 in. (300 mm) through 36 in. (900 mm)
85XX	8678	ADVANCED DRAINAGE SYSTEMS, INC., MONTICELLO, IL CORR. POLYETHYLENE TUBING, TYPES C, CP, S & SP	J988006	NON-HDB RATED, 4 in. (100 mm) through 10 in. (250 mm)
85XX	8695	ADVANCED DRAINAGE SYSTEMS, INC., MENDOTA, IL CORR. POLYETHYLENE TUBING, TYPES C, CP, S & SP	JP38001	NON-HDB RATED, 4 in. (100 mm) through 10 in. (250 mm), (PROVISIONAL APPROVAL)
85XX	8678	ADVANCED DRAINAGE SYSTEMS, INC., MENDOTA, IL CORR. POLYETHYLENE PIPE, TYPES C, CP, S & SP	JP38002	NON-HDB RATED: TYPES C AND CP, 12 in. (300 mm) through 18 in. (450 mm), TYPES S AND SP 12 in. (300mm) THROUGH 36 IN. (900mm), (PROVISIONAL APPROVAL)

85XX	8678	ADVANCED DRAINAGE SYSTEMS, INC., MONTICELLO, IL CORR. POLYETHYLENE PIPE, TYPES C, CP-----	J988010	NON-HDB RATED, 12 in. (300 mm)
85XX	8679	ADVANCED DRAINAGE SYSTEMS, INC., NAPOLEON, OH CORR. POLYETHYLENE TUBING, TYPES C, CP, S & SP	J988005	NON-HDB RATED, 4 in. (100 mm) through 10 in. (250 mm)
85XX	8679	ADVANCED DRAINAGE SYSTEMS, INC., NAPOLEON, OH CORR. POLYETHYLENE PIPE, TYPES C, CP-----	J988009	NON-HDB RATED, 12 in. (300 mm)
85XX	8691	ADVANCED DRAINAGE SYSTEMS, INC., OWOSSO, MI CORR. POLYETHYLENE PIPE, TYPES C, CP, S & SP--	J028002	NON-HDB RATED, 12 in. (300 mm) through 24 in. (600 mm)
85XX	8685	BAUGHMAN TILE COMPANY, INC., PAULDING, OH CORR. POLYETHYLENE TUBING, TYPES C, CP, S & SP	J008001	NON-HDB RATED, 4 in. (100 mm) through 10 in. (250 mm)
85XX	8685	BAUGHMAN TILE COMPANY, INC., PAULDING, OH CORR. POLYETHYLENE PIPE, TYPES C, CP, S & SP--	J008002	NON-HDB RATED, 12 in. (300 mm) through 36 in. (900 mm)
85XX	8683	BRISTOLPIPE, BRISTOL, IN SCHEDULE 40 POLYVINYL CHLORIDE PIPE-----	J998001	HDB RATED, 6 in. (150 mm)
85XX	8684	CONTECH CONSTRUCTION PRODUCTS, INC., MONTGOMERY, AL PROFILE WALL PVC PIPE-----	J998002	HDB RATED, 4 in. (100 mm) through 36 in. (900 mm)
85XX	8680	CONTECH CONSTRUCTION PRODUCTS, INC., SPRINGFIELD, IL PROFILE WALL PVC PIPE-----	J988003	HDB RATED, 4 in (100 mm) through 36 in. (900 mm)
85XX	8684	CONTECH CONSTRUCTION PRODUCTS, INC., SPRINGFIELD, IL PROFILE WALL PVC PIPE LINER-----	J038001	10 in. (250mm) through 36 in. (900 mm)
85XX	8686	FRANCISVILLE DRAIN TILE CORP., FRANCISVILLE, IN CORR. POLYETHYLENE TUBING, TYPES C, CP, S & SP	J008003	NON-HDB RATED, 4 in. (100 mm) through 10 in. (250 mm)
85XX	8686	FRANCISVILLE DRAIN TILE CORP., FRANCISVILLE, IN CORR. POLYETHYLENE PIPE, TYPES C, CP, S & SP--	J008004	NON-HDB RATED, 12 in. (300 mm)

				through 24 in. (600 mm)
85XX	8681	HANCOR, INC. BRAZIL, IN CORR. POLYETHYLENE TUBING, TYPES C, CP, S & SP	J988012	NON-HDB RATED, 4 in. (100 mm) through 10 in. (250 mm)
85XX	8681	HANCOR, INC. BRAZIL, IN CORR. POLYETHYLENE PIPE, TYPES C, CP, S & SP--	J988013	NON-HDB RATED, 12 in. (300mm) through 30 in. (750 mm)
85XX	8682	HANCOR, INC. FINDLEY, OH CORR. POLYETHYLENE PIPE, TYPES S & SP-----	J988014	NON-HDB RATED, 36 in. (900 mm)
85XX	8645	HAVILAND DRAINAGE COMPANY, HAVILAND, OH CORR. POLYETHYLENE TUBING, TYPES C, CP, S & SP	J988001	NON-HDB RATED, 4 in. (100 mm) through 10 in. (250 mm)
85XX	8645	HAVILAND DRAINAGE COMPANY, HAVILAND, OH CORR. POLYETHYLENE PIPE, TYPES S & SP-----	J988002	NON-HDB RATED, 12 in. (300 mm) through 36 in. (900 mm)